

NATHAN H. WELLS

WORK ADDRESS:

PO Box 1080
State University, AR 72467
870-972-2053
nwells@astate.edu

PERSONAL DATA:

Date of Birth: August 8, 1976
Place of Birth: Kennett, MO

EDUCATION:

M. S., Animal Science (Reproductive Physiology); New Mexico State University, Las Cruces, NM; Date of Graduation: August, 2001.

B. S., Animal Science; Arkansas State University, Jonesboro, AR; Graduation Date: May, 1999.

WORK EXPERIENCE:

Assistant Professor of Equine Management, August 2009-present

Instructor, Western Oklahoma State College, August 2007 to July 2009

Instructor, Blue Mountain Community College, August 2004 to June 2007

Instructor, Oregon State University, Sept 2003 to August 2004

Farm Manager, Oregon State University Horse Center, August 2001 to August 2004

MEMBERSHIPS:

Arkansas Stock Horse Association
American Quarter Horse Association
National Reined Cow Horse Association
National Reining Horse Association

PUBLICATIONS:

Journal Articles:

Wells, N. H., D. M. Hallford, J. A. Hernandez, J. L. Bollinger, M. K. Petersen, and U. McElyea. 2001. Use of calcium sulfate to alleviate signs of copper toxicosis in ewe lambs- Case report. *Bovine Practitioner*. 35:1.

Wells, N. H., D. M. Hallford, J. A. Hernandez. 2003. Serum thyroid hormones and reproductive characteristics of Rambouillet ewe lambs treated with propylthiouracil before puberty. *Theriogenology*. 59(5-6):1403-13.

Proceedings Papers:

Wells, N. H., D. M. Hallford, J. A. Hernandez, J. L. Bollinger, M. K. Petersen, and U. McElyea. 2000. Serum profiles in ewe lambs fed commercial feed with accidentally elevated copper and treated with calcium sulfate. *Proc. West. Sec. Amer. Soc. Anim. Sci.* 51:148-152.

Wells, N. H., D. M. Hallford, and J. A. Hernandez. 2001. Serum thyroxine and reproductive characteristics of Rambouillet ewe lambs treated with propylthiouracil before puberty. *Proc. West. Sec. Amer. Soc. Anim. Sci.* 52:(Submitted).

Hernandez, J. A., N. H. Wells, D. W. Holcombe, and D. M. Hallford. 2001. Metabolic hormones, body weight, and mammary changes of ewes in response to differing weaning methods. *Proc. West. Sec. Amer. Soc. Anim. Sci.* 52:(Submitted).

Hernandez, J. A., D. M. Hallford, and N. H. Wells. 2001. Serum thyroxine, body weights, and ovarian cyclicity in fine wool ewes subjected to thyroid suppression immediately before onset of anestrus. *Proc. West. Sec. Amer. Soc. Anim. Sci.* 52:(Submitted).

Waterman, R. C., L. Canales, R. L. Ashley, J. E. Sawyer, J. B. Taylor, G. D. Pulsipher, N. H. Wells, C. P. Mathis, D. E. Hawkins, G. B. Donart, E. E. Parker, S. H. Cox, J. A. Hartung, J. Horton, and M. K. Petersen. 2001. Responses to protein supplements differing in degradable intake protein (DIP) to undegradable intake protein (UIP) ratios with or without propionate salt to young postpartum beef cows. *Proc. West. Sec. Amer. Soc. Anim. Sci.* 52:(Submitted).

Abstracts:

- Wells, N. H., D. M. Hallford, J. A. Hernandez, J. L. Bollinger, M. K. Petersen, and U. McElyea. 2000. Serum profiles in ewe lambs fed commercial feed with accidentally elevated copper and treated with calcium sulfate. *J. Anim. Sci.* 78(Suppl. 2):105(Abstr.).
- Wells, N. H., D. M. Hallford, and J. A. Hernandez. 2001. Serum thyroxine and reproductive characteristics of Rambouillet ewe lambs treated with propylthiouracil before puberty. *J. Anim. Sci.* 79(Suppl. 2):(Abstr., Submitted).
- Hernandez, J. A., N. H. Wells, D. W. Holcombe, and D. M. Hallford. 2001. Metabolic hormones, body weight, and mammary changes of ewes in response to differing weaning methods. *J. Anim. Sci.* 79(Suppl. 2):(Abstr., Submitted).
- Hernandez, J. A., D. M. Hallford, and N. H. Wells. 2001. Serum thyroxine, body weights, and ovarian cyclicity in fine wool ewes subjected to thyroid suppression immediately before onset of anestrus. *J. Anim. Sci.* 79(Suppl. 2):(Abstr., Submitted).
- Waterman, R. C., L. Canales, R. L. Ashley, J. E. Sawyer, J. B. Taylor, G. D. Pulsipher, N. H. Wells, C. P. Mathis, D. E. Hawkins, G. B. Donart, E. E. Parker, S. H. Cox, J. A. Hartung, J. Horton, and M. K. Petersen. 2001. Responses to protein supplements differing in degradable intake protein (DIP) to undegradable intake protein (UIP) ratios with or without propionate salt to young postpartum beef cows. *J. Anim. Sci.* 79(Suppl. 2):(Abstr., Submitted).