



ARKANSAS STATE UNIVERSITY

Arkansas State University Higher Education Opportunity Act (HEOA) 2021 Campus Fire Safety Annual Compliance Report

Introduction

The Higher Education Opportunity Act (HEOA) became public law 110-315 in August 2008, requiring all institutions of higher education that provide residential housing facilities for students to develop an annual fire safety report. Contents of this report reflect the requirements outlined in HEOA, which are included in Arkansas State University's (A-State) campus fire safety program. Elements of the campus fire safety program consist of: fire prevention policies and practices, fire safety education and training initiatives, description of fire protection equipment in the residence halls, emergency evacuation procedures, fire safety statistics, and proposed plans for future improvements to the residence hall campus fire safety program. The annual fire safety report summarizes the campus fire safety program elements, which are administered and maintained by the Office of University Safety & Emergency Management (USEM).

This public disclosure is intended to inform current and prospective students and employees of the fire safety programs and policies in place at A-State and the institution's state of readiness to detect and respond appropriately to fire-related emergencies. Hard copies of the report are available for public review by calling 870-972-2862 or by visiting the Office of USEM located at 2105 Aggie Road in room 118 of the Administration building. USEM office hours are Monday through Friday, 8:00 AM to 5:00 PM excluding holidays.

Program Objectives

It is the policy of A-State to endeavor through astute observation and established industry practices to promote safe environmental conditions for faculty, staff, students, and visitors that are free from foreseeable fire hazards. The primary objective of the campus fire safety program is to recognize hazardous conditions and take appropriate action before such conditions result in a fire emergency. This goal is accomplished by:

- Conducting periodic reviews and updates of fire prevention policies,
- Conducting regularly scheduled fire drills in the residence halls,
- Promoting fire safety awareness for employees and students by conducting regularly scheduled training programs on fire prevention and emergency evacuation procedures,

- Inspecting, testing, and maintaining fire protection systems following National Fire Protection Association (NFPA) and Occupational Safety and Health Administration (OSHA) standards,
- Performing plan review and code consultation related to current capital improvement and remodeling projects,
- Mitigating fire hazards utilizing the information provided from regularly scheduled fire safety inspections performed by the City of Jonesboro Fire Marshal's Office and the university's property insurance loss control consultant.

Fire Prevention Policies and Procedures

Several fire prevention policies and procedures have been developed and implemented to complement the program objectives. Applicable NFPA, OSHA, residence hall student regulations (Student Handbook), and the ASU Emergency Procedures Handbook were referenced during the development of these policies. A summary of these policies is highlighted below:

Holiday Decorations

- All decorations and ornaments must be of fire-resistant or non-combustible material, listed by Underwriters Laboratory (UL), and approved for use.
- The use of live or cut Christmas trees is prohibited in university buildings.
- Artificial trees made of fire-retardant materials or non-combustible materials labeled with UL or Factory Mutual (FM) approval ratings are allowed. No natural trees, wreaths, boughs or other decorations constructed from the branches of natural trees may be used. Metallic trees may create electrical hazards when placed near the electrical supply, therefore, the use of electric lights on metallic trees is prohibited.
- Trees and other decorations must be located so as not to obstruct exit corridors or the operation of fire protection equipment (*e.g.* fire extinguishers, sprinkler heads, exit signs, fire alarm pull stations, smoke alarms, or heat detectors). Trees should also not be placed in any manner that could present a fall or trip hazard, impede egress, or block emergency egress from any room. Do not affix or tie decorations to such equipment.
- Electric light strings should carry a UL or FM approval label. These lights should be checked for fraying, bare wires, loose connections, and cracked plastic parts. If any of these conditions are present, the string or cord should not be used. The use of miniature electric lights is encouraged since they are both cooler and more energy-efficient than regular size lighting. Unplug holiday lighting when the area is unoccupied. Electric lights or electrically operated ornaments shall not be used on metal, aluminum, or any other similar metal, which could cause an electric shock. Light strings should not be placed in any manner that could present a fall or trip hazard, impede egress, block emergency egress from any room, or restrict access to fire protection equipment.
- Use of extension cords is discouraged. If they are used, they must be UL-approved and be of an adequate wire gauge for the intended use. Frayed or broken cords should not be used.
- Electrical cords (light strings or extension cords) should not be routed through doorways with doors, under rugs or loose carpeting, or across work surfaces. Routing of cords through these areas may cause damage to the cord and create a tripping hazard.

- Do not plug cords and lights into an overloaded circuit. Multi-plug adapters are prohibited in university buildings. Use power strips with a fuse or integral circuit breaker when extra outlets are needed.
- Decorative displays should be compact. Garlands, streamers, or displays that extend down a corridor should not be used because of their potential to spread fire, increase the fuel load, and impede egress. These displays should be confined to office areas (laboratories should not have any displays.) Displays are prohibited in stairwells and should be limited to corridors, lobbies, and common areas in the residence halls.
- All holiday decorations should be removed before leaving campus for the holidays and at the end of each semester.
- No candles, incense burners, potpourri pots, or scented oil warmers may be used at any time in university buildings. Candles can be displayed in Menorahs and other religious articles but may not be used and should remain unlit with wicks removed. Battery-operated candles are also allowed.
- Decorations should not conceal the residence hall room number located on the exterior of the room door. This number needs to be visible and readily identifiable for first responders.
- Decorative materials including artificial snow, decorative sprays, ceiling/wall tapestries, and highly flammable materials are strictly prohibited.
- Halogen and torch lamps are not recommended for use.

Electrical Equipment and Appliances

- Use surge protectors/power strips for all electronics, particularly computers, televisions, DVD players, gaming systems, stereo equipment, and clock radios. Lightweight extension cords and multiple outlet plugs without surge protectors create a safety hazard and are not allowed.
- Open-ended heating elements and electrical appliances that may pose a fire hazard, such as hot plates, hot pots, electric or contact grills, and space heaters are prohibited. Electrical appliances with an enclosed heating element are permitted in the halls (e.g. popcorn makers and coffeepots) when used under continual supervision.

Prohibited Items

Items that pose a danger to persons, damage to university property, a fire/safety hazard, and/or a public nuisance must not be used, possessed, or stored in residence halls (including student rooms). These include:

- Internal combustion engines, acids, automobile batteries, gasoline, torches, flammable liquids, halogen lamps, and hoverboards.
- Bar-B-Q grills and smokers are only allowed at The Village Married Houses. Using these items in other areas requires a written safety plan submitted to USEM.

Tampering of Fire Protection Equipment

Students who are found tampering with fire protection equipment (e.g. fire extinguishers including cabinets and signage, fire alarms, smoke and heat detectors, pull stations, and sprinkler heads) resulting in violation of the Student Code of Conduct may be subject to fines and additional sanctions or charges for the cost of equipment or damage repair, depending on the circumstances, as a result of the disciplinary process. Additional anti-tampering policies include:

- Smoke detectors and sprinkler heads are fire safety equipment, and residents are strictly prohibited from:
 - Disconnecting a detector,
 - Tampering with the detector or its operation,
 - Purposely causing an alarm to occur,
 - Hanging objects from or otherwise obstructing the sprinkler head cover plates and pipes.
- Disconnecting a smoke detector, failure to report its malfunctioning (including failure to observe that the light is on or not flashing), or other negligence subjects residents of that room not only to disciplinary charges but also to civil charges and, in the event of a fire, payment for related damages to the building and the persons and property of others.
- Blocking open fire-rated door assemblies is strictly prohibited. Fire-rated door assemblies are UL listed and are designed to self-close and latch shut to prevent the passage of fire and smoke. Examples of fire-rated doors include: student room doors, stairwell doors, separation doors between sleeping and commons areas, utility room doors (e.g. janitor closets, mechanical rooms, laundry rooms, pressing rooms, sprinkler closets, elevator machine rooms, storage rooms, and many corridor doors).

Regularly Scheduled Fire Safety Inspections

As a part of scheduled semester safety inspections, residence hall staff inspects student rooms for the presence of fire safety hazards including, but not limited to:

- Non-polarized extension cords,
- Non-UL approved equipment,
- Multiple outlets without circuit breakers,
- Improper installation of microwave/refrigerator units,
- Use of non-metal trash cans,
- Decorations inconsistent with fire safety guidelines,
- Clearly observable room damage,
- Unauthorized furnishings,
- Other violations inconsistent with the university fire prevention policy,
- Candles with burned wicks.

Once identified, residence hall staff assists students in removing the fire hazard following the Student Handbook and the Student Judicial Code of Conduct.

In addition to student room inspections, USEM began conducting mechanical room inspections to ensure fire code compliance in residence halls in 2018. Fire code compliance issues throughout the building are also noted during fire drills and forwarded to the appropriate university department for correction and repair where necessary.

Residence Hall Smoking Policy – SMOKE-FREE

- No smoking is allowed, including that created by cigarettes, cigars, pipes, candles, or incense.
- Smoking is not permitted inside any residence hall building, including student rooms, hallways, bathrooms, elevators, lounges, dining areas, and other public spaces.
- No smoking is permitted within 20 feet of, or next to, any door entrances, operable windows, or air intake vents.

Beginning August 1, 2010, Arkansas State University became a smoke-free campus in compliance with the Arkansas Clean Air Act of 2009.

Fire Safety Education and Training Initiatives

Residence hall staff including resident assistants/community assistants, hall directors, front desk staff, and student dining managers receive fire safety training every fall semester. Topics include a review of the fire prevention policies, weather safety, and an emergency evacuation exercise.

USEM conducted two fire exercises per residence hall in 2021. Participating departments include Residence Life, University Police, and Facilities Management. As outlined in the Student Handbook, participation in fire drills is mandatory and failure to evacuate the building during a fire alarm will result in disciplinary action. Residence Life and the Jonesboro Fire Department critique the drills to identify problem areas, which are then discussed and resolved with the appropriate university officials.

Fire safety training programs are also provided to other students, staff, and faculty groups on campus by request. This program typically consists of a brief review of fire prevention policies followed by a hands-on fire extinguisher demonstration.

Overview of Fire Protective Features in the Residence Halls

The university houses students in seven residence halls (Arkansas Hall, University Hall, Kays Hall, Northpark Quad, Honors Living/Learning Community, ROTC Living/Learning Community, and STEM Living/Learning Community).

In addition, the university manages a multifamily apartment/house complex (The Village) for any student married, or single parent with a child, a multi-facility apartment complex (Collegiate Park) for any student two-year post-high school, and the Red Wolf Den Apartments for any student two-year post-high school. There are five (5) university-owned Sorority Houses: Delta Zeta, Chi Omega, Alpha Omicron Pi, Alpha Gamma Delta, and Zeta Tau Alpha. Also, the university has six Fraternity Houses; 5 – on campus, and 1 – off-campus. All of these houses are privately owned by the Fraternities. The on-campus fraternity houses are located on leased university property and are inspected by the Jonesboro Fire Department. The Office of Greek

Life submits reports to national fraternity offices for appropriate action. The five on-campus fraternity houses are: Sigma Pi, Sigma Chi, Pi Kappa Alpha, Lambda Chi Alpha, and Kappa Alpha Order. The off-campus fraternity house is: Alpha Gamma Rho.

Pack Place and The Circle apartments are managed and maintained by third-party property management company Asset Living. Fire protection features are listed, but maintenance and repair of these systems is the responsibility of Asset Living.

The following chart provides a summary of the fire protection features provided in each housing facility.

| Facility | Address | Non-Supervised Fire Alarm System | Supervised Fire Alarm System | Full Wet Sprinkler System | Partial Wet Sprinkler System | Partial Dry Sprinkler System | Smoke Detection | Heat Detection | Fire Extinguishers | Evacuation Plans & Placards | Number of Fire Drills during Calendar Year | Kitchen Fixed System |
|----------------------------------|----------------------|----------------------------------|------------------------------|---------------------------|------------------------------|------------------------------|-----------------|----------------|--------------------|-----------------------------|--|----------------------|
| Arkansas Hall | 2509 Aggie Rd | | X | | | | X | X | X | X | 1 | |
| University Hall | 113 Dean St | | X | | | | X | X | X | X | 1 | |
| Kays Hall | 125 Dean St | | X | X | | | X | X | X | X | 1 | |
| Northpark Quads | 1115 University Loop | | X | X | | | X | X | X | X | 1 | |
| Collegiate Park Apts Bldgs 3 & 4 | 121 N Caraway Rd | | | | | | X | | X | | | |
| Collegiate Park Apts Bldgs 2 & 5 | 121 N Caraway Rd | | | | X | X | X | | X | | | |
| Collegiate Park Apts Bldgs 1 & 6 | 120 Dean St | | | | | | X | | X | | | |
| The Circle | | | | | | | | | | | | |
| Gaines Hall | 1809 Aggie Rd | | X | X | | | X | X | X | | 1 | |
| Stickland Hall | 1809 Aggie Rd | | X | X | | | X | X | X | | 1 | |
| Smith Hall | 1809 Aggie Rd | | X | X | | | X | X | X | | 1 | |
| Richmond Hall | 1809 Aggie Rd | | X | X | | | X | X | X | | 1 | |
| The Village Apartments | | | | | | | | | | | | |
| Alpine | 2801 Quapaw St | | | | | | X | | X | | | |
| Aspen | 2624 Pawnee St | X | | | X | X | X | | X | | | |
| Balsa | 2618 Pawnee St | | | | | | X | | X | | | |
| Birch | 2807 Quapaw St | | | | | | X | | X | | | |
| Cedar | 2813 Pawnee St | | | | | | X | | X | | | |
| Cypress | 2612 Pawnee St | | | | | | X | | X | | | |
| Dogwood | 2606 Pawnee St | | | | | | X | | X | | | |
| Douglas Fir | 2819 Quapaw St | | | | | | X | | X | | | |
| Elm | 2605 Cherokee St | | | | | | X | | X | | | |

| | | | | | | | | | | | | |
|-----------------------------|----------------------|---|---|---|---|---|---|---|---|---|---|---|
| Franklin | 2604 Cherokee St | | | | | | X | | X | | | |
| Ginkgo | 2611 Cherokee St | | | | | | X | | X | | | |
| Hickory | 2610 Cherokee St | | | | | | X | | X | | | |
| Ironwood | 2617 Cherokee St | | | | | | X | | X | | | |
| Juniper | 2616 Cherokee St | | | | | | X | | X | | | |
| Katsura | 2623 Cherokee St | | | | | | X | | X | | | |
| Linden | 2622 Cherokee St | | | | | | X | | X | | | |
| Magnolia | 2629 Cherokee St | X | | | X | X | X | | X | | | |
| Ninebark | 2628 Cherokee St | X | | | X | X | X | | X | | | |
| Oak | 2825 Quapaw St | | | | | | X | | X | | | |
| Pine | 2730 Iroquois St | X | | | X | X | X | | X | | | |
| Quince | 2723 Iroquois St | | | | | | X | | X | | | |
| Raintree | 2724 Iroquois St | | | | | | X | | X | | | |
| Spruce | 2717 Iroquois St | | | | | | X | | X | | | |
| Tinne | 2718 Iroquois St | | | | | | X | | X | | | |
| Umbrella | 2712 Iroquois St | | | | | | X | | X | | | |
| Virginia | 2711 Iroquois St | | | | | | X | | X | | | |
| Willow | 2706 Iroquois St | | | | | | X | | X | | | |
| Yellowwood | 2705 Iroquois St | | | | | | X | | X | | | |
| Zelcova | 2700 Iroquois St | | | | | | X | | X | | | |
| Red Wolf Den Apartments * | 1203 University Loop | | | X | | | X | | X | | | |
| Honors LLC Bldgs 1 - 3 | 2515 Danner Ave | | X | X | | | X | X | X | | 1 | |
| Honors LLC Bldg 4 | 2505 Danner Ave | | X | X | | | X | X | X | | 1 | |
| Pack Place I | 801 Univ. Loop East | | X | X | | | X | X | X | | 1 | |
| Pack Place II | 801 Univ. Loop East | | X | X | | | X | X | X | | 1 | |
| ROTC LLC | 2508 Honors Ave | | X | X | | | X | X | X | | 1 | X |
| STEM LLC | 2508 Honors Ave | | X | X | | | X | X | X | | 1 | X |
| Sorority Row (Univ Owned) | | | | | | | | | | | | |
| Delta Zeta | 2510 Aggie Rd | | X | X | | | X | X | X | | 1 | X |
| Chi Omega | 2508 Aggie Rd | | X | X | | | X | X | X | | 1 | X |
| Alpha Omicron Pi | 2504 Aggie Rd | | X | X | | | X | X | X | | 1 | X |
| Alpha Gamma Delta | 2502 Aggie Rd | | X | X | | | X | X | X | | 1 | X |
| Zeta Tau Alpha | 2410 Aggie Rd | | X | X | | | X | X | X | | 1 | X |
| Fraternity Houses (Private) | | | | | | | | | | | | |
| Sigma Pi | 1007 University Loop | X | | | | | X | | X | | 1 | X |
| Sigma Chi | 904 University Loop | X | | | | | X | | X | | 1 | |
| Pi Kappa Alpha | 1002 University Loop | | | | | | X | | X | X | 1 | |
| Lambda Chi Alpha | 910 University Loop | X | | | | | X | | X | | 1 | |
| Kappa Alpha Order | 1006 University Loop | | | | | | X | | X | X | 1 | |

* The Red Wolf Den Apartments have a supervised fire alarm activated automatically in mechanical rooms and manually via pull stations only. Smoke detectors in individual apartments

are not connected to the main system. However, there are horns and strobes in each room that are connected to the main system. In the event of a fire evacuation, residents should use a pull station in the breezeway, which will activate the entire system, sound all horns, flash all strobes and notify emergency services.

Inspection, Testing, and Maintenance of Fire Protection Equipment

The USEM administers this element of the campus fire safety program with support from fire protection contractors. All fire protection equipment in the residence halls is tested, inspected, and maintained following applicable NFPA standards.

Emergency Evacuation Procedures

If a fire occurs in a residence hall, the fire alarm response procedure is initiated by residence hall staff with support from first responders (*e.g.* University Police and the Jonesboro Fire Department). Other departments including EHS, USEM, Facilities Management, and Residence Life may also provide support in the investigation, restoration, and cleanup efforts.

Fire alarm systems notify building occupants of a potential fire, thus initiating a building evacuation sequence. As conveyed during fire drills, building occupants are directed to the nearest building exit upon activation of the fire alarm system. Use of the elevators is strictly prohibited and is controlled by the fire department to assist in firefighting and rescue efforts. Building occupants cannot re-enter the building until either University Police or the fire department indicates that it is safe to do so. After every fire alarm activation or reported fire condition, the hall director on duty is responsible for submitting a fire alarm report to the Residence Life and USEM Departments.

It is policy to maintain an active list of those occupants who may be permanently or temporarily disabled, and this is kept on file in Residence Life and also at the fire department. The fire department has access to this list when responding to fire alarm activation so they can better prepare and strategize the potential rescue of physically disabled occupants. Emergency evacuation procedures for students and employees inhabiting other campus buildings can be found in the A-State Emergency Procedures Handbook. The Emergency Procedures Handbook is posted in classrooms, offices, and other places of public assembly across campus.

Fire Prevention Policies and Procedures for Greek Housing

FIRE, HEALTH, AND SAFETY

- 1) Any chapter houses and suites must meet all local fire and health codes and standards. The university provides guidance on the frequency and minimum requirements of fire drills, which fraternities are encouraged to conduct at least annually. Records of these drills must be submitted to USEM. For fraternities, the Jonesboro Fire Department has requested to conduct all fire inspections semi-annually.

- 2) Fraternity inspections are coordinated with the A-State Office of Greek Life, the A-State Safety & Emergency Management Office, and the Jonesboro Fire Department. The university conducts fire inspections and drills in sorority housing. Any chapters not on a university-owned property may arrange for an alternate source to conduct semi-annual fire inspections; however, proper documentation of said inspection must be submitted to the Office of Greek Life no later than two business days following the inspection.
- 3) Any chapters with a form of housing must have emergency numbers for fire, police, and ambulance posted by common phones and in other locations, and should have posted evacuation routes on the back of the door of each sleeping room.
- 4) Any chapters with housing should comply with engineering recommendations as reported by the insurance company or municipal authorities.
- 5) The possession and/or use of firearms or explosive devices of any kind within the confines and premises of any chapter house or suite are expressly forbidden.

All fires shall be reported to the Office of USEM within 24 hours of the incident. The fire notification can be reported through email to cokennedy@astate.edu or fax to (870) 972-3584. Please use the Higher Education Opportunity Act rules for defining what exactly constitutes a fire, and what information is to be reported. See below.

Definition of a Fire

For fire safety reporting, HEA defines fire as any instance of open flame or other burning in a place not intended to contain the burning or in an uncontrolled manner.

This definition contains two descriptions of fire. The first is “any instance of open flame or other burning in a place not intended to contain the burning.” Some examples are:

- Trash can fire.
- Oven or microwave fire.
- Burning oven mitt on a stove.
- Grease fire on a stovetop.
- Flame coming from an electric extension cord.
- Burning wall hanging or poster.
- Fire in an overheated bathroom vent fan.
- Couch that is burning without any flame evident.

The second type of fire is “any instance of open flame or other burning in an uncontrolled manner.” Some examples are:

- Chimney fire.
- Gas stove fire.

- Fuel burner or boiler fire.

Include:

- All fires that meet the HEA definition regardless of:
 - Size
 - Cause
 - Whether the fire results in injury, death, or property damage.
 - Your institution's fire safety policies. Even if your institution prohibits the burning of candles in dorms, a lit candle doesn't meet the definition of fire. If drapes catch on fire due to brushing against a lit candle, the burning drapes meet the definition.
- Fires on the roof or the outside walls of a building even if the fire doesn't reach the inside.
- An incident where there is evidence that there was burning, for example, a singed electrical cord.

Do not include:

- Sparks or smoke where there is no open flame or other burning.
- Such incidents as burnt microwave popcorn that trigger fire alarms or smoke detectors but there are no open flames or other burning.
- Attempted arson in cases where there is no open flame or burning.

Fire Safety Statistics

The data presented in the following table summarizes the reported fires that occurred in Residence Life and Greek housing facilities from January through December 2018. Please note that the Residence Life facilities presented in the following table are located on campus property. Off-campus housing including rooming houses, private residence halls, multi-family apartment dwellings, and fraternities and sororities are not owned and operated by ASU and, therefore, fire statistics from off-campus housing are not included in this report. All fires that occur in campus housing facilities are reported to the Safety Supervisor.

Summary of 2021 Fire Safety Statistics

| Facility | Address | Number of Fires | Cause of Fire | Number of Injuries | Number of Fatalities | value of Property Damage |
|----------------------------------|----------------------|-----------------|--|--------------------|----------------------|--------------------------|
| Arkansas Hall | 2509 Aggie Rd | 3 | Unintentional: 3 Students burnt food | 0 | 0 | \$100 - 999 |
| The Circle | 1809 Aggie Rd | | | | | |
| Gaines Hall | | 0 | | 0 | 0 | |
| Richmond Hall | | 0 | | 0 | 0 | |
| Smith Hall | | 0 | | 0 | 0 | |
| Strickland Hall | | 0 | | 0 | 0 | |
| Collegiate Park Apts Bldgs 3 & 4 | 121 N Caraway Rd | 0 | | 0 | 0 | |
| Collegiate Park Apts Bldgs 2 & 5 | 121 N Caraway Rd | 0 | | 0 | 0 | |
| Collegiate Park Apts Bldgs 1 & 6 | 120 Dean St | 0 | | 0 | 0 | |
| Honors LLC Bldgs 1 - 3 | 2515 Danner Ave | 0 | | 0 | 0 | |
| Honors LLC Bldg 4 | 2505 Danner Ave | 0 | | 0 | 0 | |
| Kays Hall | 125 Dean St | 1 | Unintentional: Student Burnt food | 0 | 0 | \$0 - 99 |
| North Park Quads | 1115 University Loop | 2 | Unintentional: Student Burnt food | 0 | 0 | \$0 - 99 |
| | | | Unintentional: Curling iron set of smoke alarm | | | |
| Pace Place 1 – 2 | 805 University Loop | 0 | | 0 | 0 | |
| Red Wolf Den Apartments | 1203 University Loop | 0 | | 0 | 0 | |
| ROTC LLC | 2508 Honors Ave | 0 | | 0 | 0 | |
| STEM LLC | 2508 Honors Ave | 1 | Unintentional: Washing machine set off smoke alarm | 0 | 0 | \$0 - 99 |
| Sorority Row (Univ Owned) | | 0 | | 0 | 0 | |
| Delta Zeta | 2510 Aggie Rd | 0 | | 0 | 0 | |
| Chi Omega | 2508 Aggie Rd | 0 | | 0 | 0 | |
| Alpha Omicron Pi | 2504 Aggie Rd | 1 | Unintentional: Student Burnt food | 0 | 0 | \$0 - 99 |
| Alpha Gamma Delta | 2502 Aggie Rd | 0 | | 0 | 0 | |
| Zeta Tau Alpha | 2410 Aggie Rd | 1 | Unintentional: Student Burnt food | 0 | 0 | \$0 - 99 |
| University Hall | 113 Dean St | 1 | Unintentional: Student Burnt food | 0 | 0 | \$0 - 99 |

| | | | | | | |
|-----------------------------|----------------------|---|---|---|---|----------|
| The Village Apartments | | 0 | | 0 | 0 | |
| Alpine | 2801 Quapaw St | 0 | | 0 | 0 | |
| Aspen | 2624 Pawnee St | 0 | | 0 | 0 | |
| Balsa | 2618 Pawnee St | 0 | | 0 | 0 | |
| Birch | 2807 Quapaw St | 0 | | 0 | 0 | |
| Cedar | 2813 Pawnee St | 0 | | 0 | 0 | |
| Cypress | 2612 Pawnee St | 0 | | 0 | 0 | |
| Dogwood | 2606 Pawnee St | 0 | | 0 | 0 | |
| Douglas Fir | 2819 Quapaw St | 0 | | 0 | 0 | |
| Elm | 2605 Cherokee St | 0 | | 0 | 0 | |
| Franklin | 2604 Cherokee St | 0 | | 0 | 0 | |
| Ginkgo | 2611 Cherokee St | 0 | | 0 | 0 | |
| Hickory | 2610 Cherokee St | 0 | | 0 | 0 | |
| Ironwood | 2617 Cherokee St | 0 | | 0 | 0 | |
| Juniper | 2616 Cherokee St | 0 | | 0 | 0 | |
| Katsura | 2623 Cherokee St | 0 | | 0 | 0 | |
| Linden | 2622 Cherokee St | 0 | | 0 | 0 | |
| Magnolia | 2629 Cherokee St | 0 | | 0 | 0 | |
| Ninebark | 2628 Cherokee St | 0 | | 0 | 0 | |
| Oak | 2825 Quapaw St | 0 | | 0 | 0 | |
| Pine | 2730 Iroquois St | 0 | | 0 | 0 | |
| Quince | 2723 Iroquois St | 0 | | 0 | 0 | |
| Raintree | 2724 Iroquois St | 1 | Unintentional: Light fixture set of smoke alarm | 0 | 0 | \$0 - 99 |
| Spruce | 2717 Iroquois St | 0 | | 0 | 0 | |
| Tinne | 2718 Iroquois St | 0 | | 0 | 0 | |
| Umbrella | 2712 Iroquois St | 0 | | 0 | 0 | |
| Virginia | 2711 Iroquois St | 0 | | 0 | 0 | |
| Willow | 2706 Iroquois St | 0 | | 0 | 0 | |
| Yellowwood | 2705 Iroquois St | 0 | | 0 | 0 | |
| Zelcova | 2700 Iroquois St | 0 | | 0 | 0 | |
| Fraternity Houses (Private) | | 0 | | 0 | 0 | |
| Sigma Pi | 1007 University Loop | 0 | | 0 | 0 | |
| Sigma Chi | 904 University Loop | 0 | | 0 | 0 | |
| Pi Kappa Alpha | 1002 University Loop | 0 | | 0 | 0 | |
| Lambda Chi Alpha | 910 University Loop | 0 | | 0 | 0 | |
| Kappa Alpha Order | 1006 University Loop | 0 | | 0 | 0 | |

Future Improvements in the Residence Hall Fire Safety Program

The university maintains a deferred maintenance budget to cover annual upgrades to life safety system components. Residence halls are part of this program. As systems become outdated and major renovations are required, upgrades to entire life safety systems will be funded as capital projects. To date, Kays Hall has required an entire life safety system upgrade under this program.

Beginning in 2016, University Safety & Emergency Management will coordinate all residence hall fire drills with Residence Life, Facilities Management, the City of Jonesboro Fire Department, and the University Police Department.

Contact Information

EMERGENCY AT ANY CAMPUS LOCATION Dial 911

General Numbers

| | |
|---|--------------|
| University Safety & Emergency Management..... | 870-972-2862 |
| University Police..... | 870-972-2093 |
| Residence Life..... | 870-972-2042 |